

3.00mm SHANK

4 FLUTE MICRO REAMERS

0.20mm - 0.49mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



STANDARD Length (Metric Sizes)

Uncoated		Dimensions (mm)				
Part Number	Stock	$\varnothing D^{+0.003mm/-0.000mm}$	$\varnothing d^{h6}$	L1	L2	L3
MR34-0079.059	●	0.20	3.00	50.00	1.50	3.00
MR34-0083.059	●	0.21	3.00	50.00	1.50	3.00
MR34-0087.059	●	0.22	3.00	50.00	1.50	3.00
MR34-0091.059	●	0.23	3.00	50.00	1.50	3.00
MR34-0094.059	●	0.24	3.00	50.00	1.50	3.00
MR34-0098.059	●	0.25	3.00	50.00	1.50	3.00
MR34-0102.059	●	0.26	3.00	50.00	1.50	3.00
MR34-0106.059	●	0.27	3.00	50.00	1.50	3.00
MR34-0110.059	●	0.28	3.00	50.00	1.50	3.00
MR34-0114.059	●	0.29	3.00	50.00	1.50	3.00
MR34-0118.079	●	0.30	3.00	50.00	2.00	4.00
MR34-0122.079	●	0.31	3.00	50.00	2.00	4.00
MR34-0126.079	●	0.32	3.00	50.00	2.00	4.00
MR34-0130.079	●	0.33	3.00	50.00	2.00	4.00
MR34-0134.079	●	0.34	3.00	50.00	2.00	4.00
MR34-0138.079	●	0.35	3.00	50.00	2.00	4.00
MR34-0142.079	●	0.36	3.00	50.00	2.00	4.00
MR34-0146.079	●	0.37	3.00	50.00	2.00	4.00
MR34-0150.079	●	0.38	3.00	50.00	2.00	4.00
MR34-0154.079	●	0.39	3.00	50.00	2.00	4.00
MR34-0157.099	●	0.40	3.00	50.00	2.50	5.00
MR34-0161.099	●	0.41	3.00	50.00	2.50	5.00
MR34-0165.099	●	0.42	3.00	50.00	2.50	5.00
MR34-0169.099	●	0.43	3.00	50.00	2.50	5.00
MR34-0173.099	●	0.44	3.00	50.00	2.50	5.00
MR34-0177.099	●	0.45	3.00	50.00	2.50	5.00
MR34-0181.099	●	0.46	3.00	50.00	2.50	5.00
MR34-0185.099	●	0.47	3.00	50.00	2.50	5.00
MR34-0189.099	●	0.48	3.00	50.00	2.50	5.00
MR34-0193.099	●	0.49	3.00	50.00	2.50	5.00

SERIES MR34 WORKPIECE MATERIAL

Coating	P Steel ~30HRC	P Steel 30~40HRC	H Hardened Steel ~55HRC	H Hardened Steel ~68HRC	M Stainless Steel	K Cast Iron	N Aluminum	N Graphite	N Copper Alloy	N Brass	N CFRP	N Plastic	N Thermoset Plastic	N High Density Plastic	S Nickel / Cobalt	S Titanium Alloy
Uncoated	★	★	★	★	★	☆	☆	☆	☆	☆	☆	☆	☆	☆	★	★

★ : Priority ☆ : Applicable Materials

Recommended Cutting Conditions Page L232~L233

Symbol Descriptions Page L3

● : U.S. Stock Standard
 ■ : NOT STOCKED - Call for Delivery
 ▲ : Coming Soon

(U.S.) 1.888.848.8449
 (International) 001.714.428.3636
 Visit us online at KyoceraPrecisionTools.com

3.00mm SHANK

4 FLUTE MICRO REAMERS


0.50mm - 0.79mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



STANDARD Length (Metric Sizes)

Uncoated		Dimensions (mm)				
Part Number	Stock	$\text{ØD}^{+0.003\text{mm}}_{-0.000\text{mm}}$	Ød^{h6}	L1	L2	L3
MR34-0197.118	●	0.50	3.00	50.00	3.00	6.00
MR34-0201.118	●	0.51	3.00	50.00	3.00	6.00
MR34-0205.118	●	0.52	3.00	50.00	3.00	6.00
MR34-0209.118	●	0.53	3.00	50.00	3.00	6.00
MR34-0213.118	●	0.54	3.00	50.00	3.00	6.00
MR34-0216.118	●	0.55	3.00	50.00	3.00	6.00
MR34-0220.118	●	0.56	3.00	50.00	3.00	6.00
MR34-0224.118	●	0.57	3.00	50.00	3.00	6.00
MR34-0228.118	●	0.58	3.00	50.00	3.00	6.00
MR34-0232.118	●	0.59	3.00	50.00	3.00	6.00
MR34-0236.281	●	0.60	3.00	50.00	7.00	18.00
MR34-0240.281	●	0.61	3.00	50.00	7.00	18.00
MR34-0244.281	●	0.62	3.00	50.00	7.00	18.00
MR34-0248.281	●	0.63	3.00	50.00	7.00	18.00
MR34-0252.281	●	0.64	3.00	50.00	7.00	18.00
MR34-0256.281	●	0.65	3.00	50.00	7.00	18.00
MR34-0260.281	●	0.66	3.00	50.00	7.00	18.00
MR34-0264.281	●	0.67	3.00	50.00	7.00	18.00
MR34-0268.281	●	0.68	3.00	50.00	7.00	18.00
MR34-0272.281	●	0.69	3.00	50.00	7.00	18.00
MR34-0276.281	●	0.70	3.00	50.00	7.00	18.00
MR34-0279.281	●	0.71	3.00	50.00	7.00	18.00
MR34-0283.281	●	0.72	3.00	50.00	7.00	18.00
MR34-0287.281	●	0.73	3.00	50.00	7.00	18.00
MR34-0291.281	●	0.74	3.00	50.00	7.00	18.00
MR34-0295.281	●	0.75	3.00	50.00	7.00	18.00
MR34-0299.281	●	0.76	3.00	50.00	7.00	18.00
MR34-0303.281	●	0.77	3.00	50.00	7.00	18.00
MR34-0307.281	●	0.78	3.00	50.00	7.00	18.00
MR34-0311.281	●	0.79	3.00	50.00	7.00	18.00

L
SOLID
TOOLS

DRILLS

END MILLS

ROUTERS

THREAD MILLS
& TAPS

ENGRAVERS

BORING
BARS

REAMERS

TECHNICAL

SERIES MR34 WORKPIECE MATERIAL

Coating	P	P	H	H	M	K	N	N	N	N	N	N	N	N	S	S
	Steel ~30HRC	Steel 30~40HRC	Hardened Steel ~55HRC	Hardened Steel ~68HRC	Stainless Steel	Cast Iron	Aluminum	Graphite	Copper Alloy	Brass	CFRP	Plastic	Thermoset Plastic	High Density Plastic	Nickel / Cobalt	Titanium Alloy
Uncoated	★	★	★	★	★	☆	☆	☆	☆	☆	☆	☆	☆	☆	★	★

★ : Priority ☆ : Applicable Materials

Recommended Cutting Conditions Page L232~L233

Symbol Descriptions Page L3

(U.S.) 1.888.848.8449

(International) 001.714.428.3636

Visit us online at KyoceraPrecisionTools.com

U.S. Stock Standard : ●

NOT STOCKED - Call for Delivery : ■

Coming Soon : ▲

3.00mm SHANK

4 FLUTE MICRO REAMERS

0.80mm - 1.09mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



STANDARD Length (Metric Sizes)

Uncoated		Dimensions (mm)				
Part Number	Stock	ØD ^{+0.003mm} / _{-0.000mm}	Ød ^{h6}	L1	L2	L3
MR34-0315.281	●	0.80	3.00	50.00	7.00	18.00
MR34-0319.281	●	0.81	3.00	50.00	7.00	18.00
MR34-0323.281	●	0.82	3.00	50.00	7.00	18.00
MR34-0327.281	●	0.83	3.00	50.00	7.00	18.00
MR34-0331.281	●	0.84	3.00	50.00	7.00	18.00
MR34-0335.281	●	0.85	3.00	50.00	7.00	18.00
MR34-0338.281	●	0.86	3.00	50.00	7.00	18.00
MR34-0342.281	●	0.87	3.00	50.00	7.00	18.00
MR34-0346.281	●	0.88	3.00	50.00	7.00	18.00
MR34-0350.281	●	0.89	3.00	50.00	7.00	18.00
MR34-0354.281	●	0.90	3.00	50.00	7.00	18.00
MR34-0358.281	●	0.91	3.00	50.00	7.00	18.00
MR34-0362.281	●	0.92	3.00	50.00	7.00	18.00
MR34-0366.281	●	0.93	3.00	50.00	7.00	18.00
MR34-0370.281	●	0.94	3.00	50.00	7.00	18.00
MR34-0374.281	●	0.95	3.00	50.00	7.00	18.00
MR34-0378.281	●	0.96	3.00	50.00	7.00	18.00
MR34-0382.281	●	0.97	3.00	50.00	7.00	18.00
MR34-0386.281	●	0.98	3.00	50.00	7.00	18.00
MR34-0390.281	●	0.99	3.00	50.00	7.00	18.00
MR34-0394.281	●	1.00	3.00	50.00	7.00	18.00
MR34-0398.281	●	1.01	3.00	50.00	7.00	18.00
MR34-0401.281	●	1.02	3.00	50.00	7.00	18.00
MR34-0405.281	●	1.03	3.00	50.00	7.00	18.00
MR34-0409.281	●	1.04	3.00	50.00	7.00	18.00
MR34-0413.281	●	1.05	3.00	50.00	7.00	18.00
MR34-0417.406	●	1.06	3.00	50.00	10.00	18.00
MR34-0421.406	●	1.07	3.00	50.00	10.00	18.00
MR34-0425.406	●	1.08	3.00	50.00	10.00	18.00
MR34-0429.406	●	1.09	3.00	50.00	10.00	18.00

SERIES MR34 WORKPIECE MATERIAL

Coating	P Steel ~30HRC	P Steel 30~40HRC	H Hardened Steel ~55HRC	H Hardened Steel ~68HRC	M Stainless Steel	K Cast Iron	N Aluminum	N Graphite	N Copper Alloy	N Brass	N CFRP	N Plastic	N Thermoset Plastic	N High Density Plastic	S Nickel / Cobalt	S Titanium Alloy
Uncoated	★	★	★	★	★	☆	☆	☆	☆	☆	☆	☆	☆	☆	★	★

★ : Priority ☆ : Applicable Materials

Recommended Cutting Conditions Page L232~L233

Symbol Descriptions Page L3

● : U.S. Stock Standard
 ■ : NOT STOCKED - Call for Delivery
 ▲ : Coming Soon

(U.S.) 1.888.848.8449
 (International) 001.714.428.3636
 Visit us online at KyoceraPrecisionTools.com

3.00mm SHANK

4 FLUTE MICRO REAMERS


1.10mm - 1.39mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



STANDARD Length (Metric Sizes)

Uncoated		Dimensions (mm)				
Part Number	Stock	$\varnothing D^{+0.003mm}_{-0.000mm}$	$\varnothing d^{h6}$	L1	L2	L3
MR34-0433.406	●	1.10	3.00	50.00	10.00	18.00
MR34-0437.406	●	1.11	3.00	50.00	10.00	18.00
MR34-0441.406	●	1.12	3.00	50.00	10.00	18.00
MR34-0445.406	●	1.13	3.00	50.00	10.00	18.00
MR34-0449.406	●	1.14	3.00	50.00	10.00	18.00
MR34-0453.406	●	1.15	3.00	50.00	10.00	18.00
MR34-0457.406	●	1.16	3.00	50.00	10.00	18.00
MR34-0461.406	●	1.17	3.00	50.00	10.00	18.00
MR34-0464.406	●	1.18	3.00	50.00	10.00	18.00
MR34-0468.406	●	1.19	3.00	50.00	10.00	18.00
MR34-0472.406	●	1.20	3.00	50.00	10.00	18.00
MR34-0476.406	●	1.21	3.00	50.00	10.00	18.00
MR34-0480.406	●	1.22	3.00	50.00	10.00	18.00
MR34-0484.406	●	1.23	3.00	50.00	10.00	18.00
MR34-0488.406	●	1.24	3.00	50.00	10.00	18.00
MR34-0492.406	●	1.25	3.00	50.00	10.00	18.00
MR34-0496.406	●	1.26	3.00	50.00	10.00	18.00
MR34-0500.406	●	1.27	3.00	50.00	10.00	18.00
MR34-0504.406	●	1.28	3.00	50.00	10.00	18.00
MR34-0508.406	●	1.29	3.00	50.00	10.00	18.00
MR34-0512.406	●	1.30	3.00	50.00	10.00	18.00
MR34-0516.406	●	1.31	3.00	50.00	10.00	18.00
MR34-0520.406	●	1.32	3.00	50.00	10.00	18.00
MR34-0523.406	●	1.33	3.00	50.00	10.00	18.00
MR34-0527.406	●	1.34	3.00	50.00	10.00	18.00
MR34-0531.406	●	1.35	3.00	50.00	10.00	18.00
MR34-0535.406	●	1.36	3.00	50.00	10.00	18.00
MR34-0539.406	●	1.37	3.00	50.00	10.00	18.00
MR34-0543.406	●	1.38	3.00	50.00	10.00	18.00
MR34-0547.406	●	1.39	3.00	50.00	10.00	18.00

L
SOLID
TOOLS

DRILLS

END MILLS

ROUTERS

THREAD MILLS
& TAPS

ENGRAVERS

BORING
BARS

REAMERS

TECHNICAL

SERIES MR34 WORKPIECE MATERIAL

Coating	P	P	H	H	M	K	N	N	N	N	N	N	N	N	S	S
	Steel ~30HRC	Steel 30~40HRC	Hardened Steel ~55HRC	Hardened Steel ~68HRC	Stainless Steel	Cast Iron	Aluminum	Graphite	Copper Alloy	Brass	CFRP	Plastic	Thermoset Plastic	High Density Plastic	Nickel / Cobalt	Titanium Alloy
Uncoated	★	★	★	★	★	☆	☆	☆	☆	☆	☆	☆	☆	☆	★	★

★ : Priority ☆ : Applicable Materials

Recommended Cutting Conditions Page L232~L233

Symbol Descriptions Page L3

(U.S.) 1.888.848.8449

(International) 001.714.428.3636

Visit us online at KyoceraPrecisionTools.com

U.S. Stock Standard : ●

NOT STOCKED - Call for Delivery : ■

Coming Soon : ▲

3.00mm SHANK

4 FLUTE MICRO REAMERS


1.40mm - 1.69mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



STANDARD Length (Metric Sizes)

Uncoated		Dimensions (mm)				
Part Number	Stock	ØD ^{+0.003mm -0.000mm}	Ød ^{h6}	L1	L2	L3
MR34-0551.406	●	1.40	3.00	50.00	10.00	18.00
MR34-0555.406	●	1.41	3.00	50.00	10.00	18.00
MR34-0559.406	●	1.42	3.00	50.00	10.00	18.00
MR34-0563.406	●	1.43	3.00	50.00	10.00	18.00
MR34-0567.406	●	1.44	3.00	50.00	10.00	18.00
MR34-0571.406	●	1.45	3.00	50.00	10.00	18.00
MR34-0575.406	●	1.46	3.00	50.00	10.00	18.00
MR34-0579.406	●	1.47	3.00	50.00	10.00	18.00
MR34-0583.406	●	1.48	3.00	50.00	10.00	18.00
MR34-0586.406	●	1.49	3.00	50.00	10.00	18.00
MR34-0590.406	●	1.50	3.00	50.00	10.00	18.00
MR34-0594.406	●	1.51	3.00	50.00	10.00	18.00
MR34-0598.406	●	1.52	3.00	50.00	10.00	18.00
MR34-0602.406	●	1.53	3.00	50.00	10.00	18.00
MR34-0606.406	●	1.54	3.00	50.00	10.00	18.00
MR34-0610.406	●	1.55	3.00	50.00	10.00	18.00
MR34-0614.406	●	1.56	3.00	50.00	10.00	18.00
MR34-0618.406	●	1.57	3.00	50.00	10.00	18.00
MR34-0622.406	●	1.58	3.00	50.00	10.00	18.00
MR34-0626.406	●	1.59	3.00	50.00	10.00	18.00
MR34-0630.406	●	1.60	3.00	50.00	10.00	18.00
MR34-0634.406	●	1.61	3.00	50.00	10.00	18.00
MR34-0638.406	●	1.62	3.00	50.00	10.00	18.00
MR34-0642.406	●	1.63	3.00	50.00	10.00	18.00
MR34-0646.406	●	1.64	3.00	50.00	10.00	18.00
MR34-0649.406	●	1.65	3.00	50.00	10.00	18.00
MR34-0653.406	●	1.66	3.00	50.00	10.00	18.00
MR34-0657.406	●	1.67	3.00	50.00	10.00	18.00
MR34-0661.406	●	1.68	3.00	50.00	10.00	18.00
MR34-0665.406	●	1.69	3.00	50.00	10.00	18.00

SERIES MR34 WORKPIECE MATERIAL

Coating	P Steel ~30HRC	P Steel 30~40HRC	H Hardened Steel ~55HRC	H Hardened Steel ~68HRC	M Stainless Steel	K Cast Iron	N Aluminum	N Graphite	N Copper Alloy	N Brass	N CFRP	N Plastic	N Thermoset Plastic	N High Density Plastic	S Nickel / Cobalt	S Titanium Alloy
Uncoated	★	★	★	★	★	☆	☆	☆	☆	☆	☆	☆	☆	☆	★	★

★ : Priority ☆ : Applicable Materials

Recommended Cutting Conditions Page L232~L233

Symbol Descriptions Page L3

● : U.S. Stock Standard
 ■ : NOT STOCKED - Call for Delivery
 ▲ : Coming Soon

(U.S.) 1.888.848.8449
 (International) 001.714.428.3636
 Visit us online at KyoceraPrecisionTools.com

3.00mm SHANK

4 FLUTE MICRO REAMERS


1.70mm - 1.99mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



STANDARD Length (Metric Sizes)

Uncoated		Dimensions (mm)				
Part Number	Stock	$\text{ØD}^{+0.003\text{mm}}_{-0.000\text{mm}}$	Ød^{h6}	L1	L2	L3
MR34-0669.406	●	1.70	3.00	50.00	10.00	18.00
MR34-0673.406	●	1.71	3.00	50.00	10.00	18.00
MR34-0677.406	●	1.72	3.00	50.00	10.00	18.00
MR34-0681.406	●	1.73	3.00	50.00	10.00	18.00
MR34-0685.406	●	1.74	3.00	50.00	10.00	18.00
MR34-0689.406	●	1.75	3.00	50.00	10.00	18.00
MR34-0693.406	●	1.76	3.00	50.00	10.00	18.00
MR34-0697.406	●	1.77	3.00	50.00	10.00	18.00
MR34-0701.406	●	1.78	3.00	50.00	10.00	18.00
MR34-0705.406	●	1.79	3.00	50.00	10.00	18.00
MR34-0708.406	●	1.80	3.00	50.00	10.00	18.00
MR34-0712.406	●	1.81	3.00	50.00	10.00	18.00
MR34-0716.406	●	1.82	3.00	50.00	10.00	18.00
MR34-0720.406	●	1.83	3.00	50.00	10.00	18.00
MR34-0724.406	●	1.84	3.00	50.00	10.00	18.00
MR34-0728.406	●	1.85	3.00	50.00	10.00	18.00
MR34-0732.406	●	1.86	3.00	50.00	10.00	18.00
MR34-0736.406	●	1.87	3.00	50.00	10.00	18.00
MR34-0740.406	●	1.88	3.00	50.00	10.00	18.00
MR34-0744.406	●	1.89	3.00	50.00	10.00	18.00
MR34-0748.406	●	1.90	3.00	50.00	10.00	18.00
MR34-0752.406	●	1.91	3.00	50.00	10.00	18.00
MR34-0756.406	●	1.92	3.00	50.00	10.00	18.00
MR34-0760.406	●	1.93	3.00	50.00	10.00	18.00
MR34-0764.406	●	1.94	3.00	50.00	10.00	18.00
MR34-0768.406	●	1.95	3.00	50.00	10.00	18.00
MR34-0771.438	●	1.96	3.00	50.00	11.00	20.50
MR34-0775.438	●	1.97	3.00	50.00	11.00	20.50
MR34-0779.438	●	1.98	3.00	50.00	11.00	20.50
MR34-0783.438	●	1.99	3.00	50.00	11.00	20.50

L
SOLID
TOOLS

DRILLS

END MILLS

ROUTERS

THREAD MILLS
& TAPS

ENGRAVERS

BORING
BARS

REAMERS

TECHNICAL

SERIES MR34 WORKPIECE MATERIAL

Coating	P Steel ~30HRC	P Steel 30~40HRC	H Hardened Steel ~55HRC	H Hardened Steel ~68HRC	M Stainless Steel	K Cast Iron	N Aluminum	N Graphite	N Copper Alloy	N Brass	N CFRP	N Plastic	N Thermoset Plastic	N High Density Plastic	S Nickel / Cobalt	S Titanium Alloy
Uncoated	★	★	★	★	★	☆	☆	☆	☆	☆	☆	☆	☆	☆	★	★

★ : Priority ☆ : Applicable Materials

Recommended Cutting Conditions Page L232~L233

Symbol Descriptions Page L3

(U.S.) 1.888.848.8449

(International) 001.714.428.3636

Visit us online at KyoceraPrecisionTools.com

U.S. Stock Standard : ●

NOT STOCKED - Call for Delivery : ■

Coming Soon : ▲

3.00mm SHANK

4 FLUTE MICRO REAMERS


2.00mm - 2.19mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



STANDARD Length (Metric Sizes)

Uncoated		Dimensions (mm)				
Part Number	Stock	$\varnothing D^{+0.003mm/-0.000mm}$	$\varnothing d^{h6}$	L1	L2	L3
MR34-0787.438	●	2.00	3.00	50.00	11.00	20.50
MR34-0791.438	●	2.01	3.00	50.00	11.00	20.50
MR34-0795.438	●	2.02	3.00	50.00	11.00	20.50
MR34-0799.438	●	2.03	3.00	50.00	11.00	20.50
MR34-0803.438	●	2.04	3.00	50.00	11.00	20.50
MR34-0807.438	●	2.05	3.00	50.00	11.00	20.50
MR34-0811.438	●	2.06	3.00	50.00	11.00	20.50
MR34-0815.438	●	2.07	3.00	50.00	11.00	20.50
MR34-0819.438	●	2.08	3.00	50.00	11.00	20.50
MR34-0823.438	●	2.09	3.00	50.00	11.00	20.50
MR34-0827.438	●	2.10	3.00	50.00	11.00	20.50
MR34-0830.438	●	2.11	3.00	50.00	11.00	20.50
MR34-0835.438	●	2.12	3.00	50.00	11.00	20.50
MR34-0838.438	●	2.13	3.00	50.00	11.00	20.50
MR34-0843.438	●	2.14	3.00	50.00	11.00	20.50
MR34-0846.438	●	2.15	3.00	50.00	11.00	20.50
MR34-0850.438	●	2.16	3.00	50.00	11.00	20.50
MR34-0854.438	●	2.17	3.00	50.00	11.00	20.50
MR34-0858.438	●	2.18	3.00	50.00	11.00	20.50
MR34-0862.438	●	2.19	3.00	50.00	11.00	20.50

SERIES MR34 WORKPIECE MATERIAL														
Coating	P	P	H	H	M	K	N	N	N	N	N	N	N	S
	Steel ~30HRC	Steel 30~40HRC	Hardened Steel ~55HRC	Hardened Steel ~68HRC	Stainless Steel	Cast Iron	Aluminum	Graphite	Copper Alloy	Brass	CFRP	Plastic	Thermoset Plastic	High Density Plastic
Uncoated	★	★	★	★	★	☆	☆	☆	☆	☆	☆	☆	☆	★

★ : Priority ☆ : Applicable Materials

Recommended Cutting Conditions Page L232~L233

Symbol Descriptions Page L3

● : U.S. Stock Standard
 ■ : NOT STOCKED - Call for Delivery
 ▲ : Coming Soon

(U.S.) 1.888.848.8449
 (International) 001.714.428.3636
 Visit us online at KyoceraPrecisionTools.com

3.00mm SHANK

4 FLUTE MICRO REAMERS


2.20mm - 2.40mm DIAMETER

Mirror Surface Finishes

Sub Micron Grain Carbide

Left Hand Spiral, Right Hand Cutting

For Reaming Through Holes



STANDARD Length (Metric Sizes)

Uncoated		Dimensions (mm)				
Part Number	Stock	$\text{ØD}^{+0.003\text{mm}}_{-0.000\text{mm}}$	Ød^{h6}	L1	L2	L3
MR34-0866.438	●	2.20	3.00	50.00	11.00	20.50
MR34-0870.438	●	2.21	3.00	50.00	11.00	20.50
MR34-0874.438	●	2.22	3.00	50.00	11.00	20.50
MR34-0878.438	●	2.23	3.00	50.00	11.00	20.50
MR34-0882.438	●	2.24	3.00	50.00	11.00	20.50
MR34-0886.438	●	2.25	3.00	50.00	11.00	20.50
MR34-0890.438	●	2.26	3.00	50.00	11.00	20.50
MR34-0894.438	●	2.27	3.00	50.00	11.00	20.50
MR34-0896.438	●	2.28	3.00	50.00	11.00	20.50
MR34-0901.438	●	2.29	3.00	50.00	11.00	20.50
MR34-0906.438	●	2.30	3.00	50.00	11.00	20.50
MR34-0909.438	●	2.31	3.00	50.00	11.00	20.50
MR34-0913.438	●	2.32	3.00	50.00	11.00	20.50
MR34-0917.438	●	2.33	3.00	50.00	11.00	20.50
MR34-0921.438	●	2.34	3.00	50.00	11.00	20.50
MR34-0925.438	●	2.35	3.00	50.00	11.00	20.50
MR34-0929.438	●	2.36	3.00	50.00	11.00	20.50
MR34-0933.438	●	2.37	3.00	50.00	11.00	20.50
MR34-0937.438	●	2.38	3.00	50.00	11.00	20.50
MR34-0941.438	●	2.39	3.00	50.00	11.00	20.50
MR34-0945.438	●	2.40	3.00	50.00	11.00	20.50

L
SOLID
TOOLS

DRILLS

END MILLS

ROUTERS

THREAD MILLS
& TAPS

ENGRAVERS

BORING
BARS

REAMERS

TECHNICAL

SERIES MR34 WORKPIECE MATERIAL

Coating	P Steel ~30HRC	P Steel 30~40HRC	H Hardened Steel ~55HRC	H Hardened Steel ~68HRC	M Stainless Steel	K Cast Iron	N Aluminum	N Graphite	N Copper Alloy	N Brass	N CFRP	N Plastic	N Thermoset Plastic	N High Density Plastic	S Nickel / Cobalt	S Titanium Alloy
Uncoated	★	★	★	★	★	☆	☆	☆	☆	☆	☆	☆	☆	☆	★	★

★ : Priority ☆ : Applicable Materials

Recommended Cutting Conditions Page L232~L233

Symbol Descriptions Page L3